


OK

This spreadsheet performs screening level calculations to estimate the effect of peeling leaded paint on the average concentration of lead in yard soil 3435 Marion Street

DECISION

| INPUTS General | Variable Mixing depth in yard Mixing depth in yard Soil density RBC in soil Bkg in clean fill | Units cm inches g/cm3 mg/kg mg/kg | House 2:54 1 2:5 400 50 Small |
|-------------------|--|--|--|
| House-specific | Area of the exposure unit Area of the exposure unit Concentration of lead in paint Area of peeling paint Area of peeling paint | m2 ft2 mg/cm2 m2 ft2 | 101.4801 1092 38.5 0.743224 8 |
| COMPUTATIONS | Mass of lead from paint Volume of soil Mass of soil Incremental concentration Maximum acceptable area of permanents of permanents of permanents. | | 2.9E+05 2.6E+06 6.4E+03 44.4 5.9 63.0 |



North South East West

| | Exteri | or Walls | | <doors drim<="" th=""></doors> | | | | | |
|----------|--------|-----------|------------|--------------------------------|-------|-----------|------------|--|--|
| Material | Area | Peel/Chip | XRF (Lead) | Material | Area | Peel/Chip | XRF (Lead) | | |
| WOOD | | | | | | | | | |
| WOOD | · | | | CEMENT THE | SHOLD | | 517 | | |
| | | | | | | | | | |

North South East West

| Window Trim/Fascia/Soffit | | | | Patios/Decks/Porches | | | | | | |
|---------------------------|--|------------|----------|----------------------|-----------|------------|------|--|--|--|
| Material Area Peel/Chip | | XRF (Lead) | Material | Area | Peel/Chip | XRF (Lead) | | | | |
| WOOD | | CRACK | 14.1 | WOOD SOFFIT | | CRACK | 25.2 | | | |
| | | | | WOOD CEILING | | | | | | |
| | | | | WOOD COLUMN | 8'4 | CRACK | 38.5 | | | |
| { | | | | | | | | | | |

North South East West

| M | etal Trim/Gut | ters/Downspo | uts | <u> </u> | Misc Structures/Garage/Fence | | | | |
|-----------|---------------|--------------|-----------------|------------|------------------------------|-----------|------------|--|--|
| Material | Area | Peel/Chip | XRF (Lead) | Material | Area | Peel/Chip | XRF (Lead) | | |
| Lating to | Titte advær 🙊 | · water | and the same of | ise in the | | | | | |
| | | | | WOOD RED | ~ | PEEL | | | |
| | | | | | | | | | |
| | | | | | | | | | |

| Time | Site | Component | Substrate | Side | Condition | Color | Floor | Room | Results | Depth Inde | PbC | PbC Error |
|-----------------|------------|---------------------|----------------|-------------|------------------|--------|-------|----------|----------|------------|------|-----------|
| 8/17/2005 8:22 | 45 | COLUMN | WOOD | EAST | CRACKED | WHITE | FIRST | PORCH | Positive | 8.15 | 38.5 | 2.9 |
| 8/17/2005 8:24 | 45 | FOUNDATION | CONCRETE | EAST | PEELING | GREY | FIRST | OUTSIDE | | | 0.03 | 0.04 |
| 8/17/2005 8:25 | 45 | WINDOW SILL | CONCRETE | EAST | INTACT | GREEN | FIRST | OUTSIDE | Negative | 3.05 | 0.5 | 0.1 |
| 8/17/2005 8:26 | 45 | WINDOW FRAME | WOOD | EAST | CRACKED | WHITE | FIRST | OUTSIDE | Negative | 1.65 | 0.5 | 0.1 |
| 8/17/2005 8:27 | 45 | SOFFIT | WOOD | NORTH | CRACKED | WHITE | FIRST | OUTSIDE | Positive | 5.6 | 25.2 | 1.5 |
| 8/17/2005 8:28 | 45 | CEILING | WOOD | SOUTH | CRACKED | WHITE | FIRST | PORCH | Negative | 4.99 | 0.01 | 0.03 |
| 8/17/2005 8:29 | 45 | THRESHOLD | CONCRETE | EAST | CRACKED | SILVER | FIRST | PORCH | Positive | 2.84 | 5.7 | 1.1 |
| 8/17/2005 8:31 | 45 | RISER | CONCRETE | EAST | PEELING | GREY | FIRST | PORCH | Negative | 1 | 0.01 | 0.02 |
| 8/17/2005 8:32 | 45 | WINDOW SILL | CONCRETE | NORTH | PEELING | GREEN | FIRST | OUTSIDE | Negative | 3.41 | 0.06 | 0.05 |
| 8/17/2005 8:33 | 45 | WINDOW FRAME | WOOD | NORTH | CRACKED | WHITE | FIRST | OUTSIDE | Positive | 3.92 | 14.1 | 1.5 |
| 8/17/2005 8:34 | 45 | EXT. WALL | WOOD | NORTH | INTACT | WHITE | FIRST | OUTSIDE | Negative | 1 | 0 | 0.02 |
| 8/17/2005 8:35 | 45 | EXT. WALL | WOOD | WEST | INTACT | WHITE | FIRST | OUTSIDE | Negative | 1 | 0 | 0.02 |
| 8/17/2005 8:36 | 45 | FENCE | WOOD | SOUTH | PEELING | RED | FIRST | OUTSIDE | Negative | 2.58 | 0.01 | 0.02 |
| | | | | | | | | | | | | |
| Note: Readings | are in m | g/cm ^{2.} | | | | | | | | | | |
| Painted surface | s not test | ed were assessed to | be in 'intact' | condition a | t time of site v | risit. | | <u> </u> | | | | |

Color Photo(s)

The following pages contain color that does not appear in the scanned images.

To view the actual images, contact the Region VIII Records Center at (303) 312-6473.

Property ID # 45 / 3435 Marion Street



Paint is in good / fair condition